RECEIVED
CENTRAL FAX CENTER
OCT 1 6 2006

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application.

- 1. (Currently Amended) A germicidal composition comprising:
 - a diluent; [[and]]

[[a germicidally effective amount of a germicidal compound having the formula]]
an amount of a compound of the following formula effective to kill
mycobacterium:

wherein Ar is an aryl group selected from the group consisting of phenyl, 4-pyrimidinyl, and 2-(2-nitro-3-formyl-phenyl); and

a corrosion inhibitor.

- 2. (Cancelled)
- 3. (Currently Amended) The composition of claim 1, further comprising:

a buffer;

a chelating agent; and

[[a corrosion inhibitor; and]]

Atty Docket No. 56301P5007 Application No. 10/769,598

2

a surfactant.

- 4. (Original) The composition of claim 3, further comprising:
 - a fragrance; and
 - a coloring agent.
- 5. (Withdrawn) A method comprising killing bacteria by contacting the bacteria with the composition of claim 1.
- 6. (Withdrawn) A method comprising disinfecting a surface by contacting the surface with the composition of claim 1 for a period of time and at a temperature effective to disinfect the surface.
- 7. (Original) The composition of claim 1, wherein Ar is phenyl.
- 8. (Currently Amended) The composition of claim 7, wherein the [[germicidally effective]] amount of the compound is effective to kill at least 1x10⁶

 Mycobacterium terrae bacteria in contact with the composition in less than one hour with a bacteria suspension test at a temperature of 20°C.
- 9. (Withdrawn) A method comprising disinfecting a surface by contacting the surface with the composition of claim 8 for a period of time and at a temperature effective to disinfect the surface.
- 10. (Currently Amended) The composition of claim 7, further comprising an enhancer to enhance a germicidal efficacy of the [[germicidal]] compound, the enhancer selected from the group consisting of isophthalaldehyde and a combination of isophthalaldehyde and terephthalaldehyde.

Atty Docket No. 56301P5007 Application No. 10/769,598

- 11. (Withdrawn) The composition of claim 1, wherein Ar is 4-pyrimidinyl.
- 12. (Withdrawn) A method comprising disinfecting a surface by contacting the surface with the composition of claim 11 for a period of time and at a temperature effective to disinfect the surface.
- (Withdrawn and Currently Amended) The composition of claim 11, wherein the [[germicidally effective]] amount of the compound is effective to kill at least 1×10^4 Mycobacterium terrae bacteria in contact with the composition in less than five minutes with a bacteria suspension test at a temperature of 20°C.
- 14. (Withdrawn) The composition of claim 1, wherein Ar is 2-(2-nitro-3-formylphenyl).
- 15. (Withdrawn) A method comprising disinfecting a surface by contacting the surface with the composition of claim 14 for a period of time and at a temperature effective to disinfect the surface.
- 16. (Withdrawn and Currently Amended) The composition of claim 14, wherein the [[germicidally effective]] amount of the compound is effective to kill at least 1×10^4 Mycobacterium terrae bacteria in contact with the composition in less than five minutes with a bacteria suspension test at a temperature of 20°C.

17-18 (Cancelled)

19. (Currently Amended) A germicidal composition comprising:

a diluent;

phenyl-propanedial; and

Atty Docket No. 56301P5007 Application No. 10/769,598

- isophthalaldehyde, wherein the germicidal composition is effective to kill mycobacterium.
- 20. (Original) The composition of claim 19, wherein the isophthalaldehyde is an enhancer for the germicidal efficacy of the phenyl-propanedial.
- 21. (Withdrawn) A method comprising killing bacteria by contacting the bacteria with the composition of claim 19.
- (Original) The composition of claim 19, further comprising terephthalaldehyde.
- 23. (Original) The composition of claim 22, wherein the isophthalaldehyde and the terephthalaldehyde are an enhancer for the germicidal efficacy of the phenyl-propanedial.
- 24. (Withdrawn) A method comprising disinfecting a surface by contacting the surface with the composition of claim 23.
- 25. (Currently Amended) The composition of claim 1, wherein the [[germicidally effective]] amount of the compound is effective to kill at least 1x10⁶

 Mycohacterium terrae bacteria in contact with the composition in less than one hour with a bacteria suspension test at a temperature of 20°C.
- 26. (Cancelled)
- 27. (Currently Amended) The composition of claim 1, further comprising tuberculosis in contact with the diluent.
- 28. (New) The composition of claim 1, further comprising bacteria in contact with the diluent.

Atty Docket No. 56301P5007 Application No. 10/769,598

- 29. (New) The composition of claim 28, wherein the bacteria comprise mycobacterium.
- (New) The composition of claim 29, wherein the bacteria comprise
 Mycobacterium terrae.
- 31. (New) The composition of claim 1, wherein the compound is an intermediate disinfectant.
- 32. (New and Withdrawn) A method comprising killing mycobacterium by contacting the bacteria with the composition of claim 1.
- 33. (New) The composition of claim 1, in contact with a medical instrument.
- 34. (New) The composition of claim 7, wherein the germicidal compound has a concentration ranging from 0.1 to about 1%.
- 35. (New and Withdrawn) The composition of claim 11, wherein the germicidal compound has a concentration ranging from 0.1 to about 2.3%.
- 36. (New and Withdrawn) The composition of claim 14, wherein the germicidal compound has a concentration ranging from 0.1 to about 2.1%.
- 37. (New) The composition of claim 19, wherein the amount is effective to kill at least 1x10⁶ Mycobacterium terrae bacteria in contact with the composition in less than one hour with a bacteria suspension test at a temperature of 20°C.